## 3035-O
## Part #: A08441

| Relative Height: | Series: | Tape: | FC: |
|---|---|---|---|
| 3035-O (19 mm) | Standard | 1210 | X |
| | | 1220 | ✓ |
| | | 1275 | ✓ |
| | High Density | 0530 | ✓ |
| | | 1910 | ✓ |
| | | 1820 | ✓ |
| | High Efficacy | 0480 | ✓ |
| | | 0960 | ✓ |
| | | 1440 | ✓ |
| | | 1920 | ✓ |
| | RGB/RGB+W | All | ✓ |

## 4050
## Part #: A18050

| Relative Height: | Series: | Tape: | FC: |
|---|---|---|---|
| 4050 (24.20 mm) | Standard | 1210 | X |
| | | 1220 | ✓ |
| | | 1275 | ✓ |
| | High Density | 0530 | ✓ |
| | | 1910 | ✓ |
| | | 1820 | ✓ |
| | High Efficacy | 0480 | ✓ |
| | | 0960 | ✓ |
| | | 1440 | ✓ |
| | | 1920 | ✓ |
| | RGB/RGB+W | All | ✓ |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## DES
## Part #: A18030

| Relative Height: | Series: | Tape: | FC: | LC: | BC: | KA: | KA-PRO: |
|---|---|---|---|---|---|---|---|
| DES (Top: 4.80 mm / Bottom: 22 mm) | Standard | 1210 | Top: X<br>Bottom: X | Top: X | Top: X | Top: X | Top: X |
| | | 1220 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | | 1275 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | High Density | 0530 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | | 1910 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | | 1820 | Top: X<br>Bottom: ✓ (HL1) | Top: ✓ (HL) | Top: X | Top: X | Top: X |
| | High Efficacy | 0480 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | | 0960 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | | 1440 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | | 1920 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | RGB/RGB+W | All | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |

## FASKO
## Part #: A04323

| Relative Height: | Series: | Tape | FC | LC | BN |
|---|---|---|---|---|---|
| 22.2 mm with 1 row<br>7.5 mm with BONI | Standard | 1210 | X | ✓ for 1 row only | X |
| | | 1220 | ✓ (HL1 or 2) | ✓ | X |
| | | 1275 | ✓ | ✓ | X |
| | High Density | 0530 | ✓ | ✓ | ✓ |
| | | 1910 | ✓ | ✓ | ✓ |
| | | 1820 | ✓ | ✓ | ✓ (HL) |
| | High Efficacy | 0480 | ✓ | ✓ | X |
| | | 0960 | ✓ | ✓ | X |
| | | 1440 | ✓ | ✓ | X |
| | | 1920 | ✓ | ✓ | X |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## GIZA, DIPOK-US, DIPOKET, OPAC-30
## Part #: A05556, A01233, A01177, A06164

| Relative Height: | Series: | Tape | FC | LC* | BC | GKF/GLF |
|---|---|---|---|---|---|---|
| 5 mm | Standard | 1210 | X | X | X | ✓ for 1 row only |
| | | 1220 | X | X | X | ✓ |
| | | 1275 | X | X | X | ✓ |
| | High Density | 0530 | X | X | X | ✓ |
| | | 1910 | X | X | X | ✓ |
| | | 1820 | X | ✓ (HL1 or 2) | X | ✓ |
| | High Efficacy | 0480 | X | X | X | ✓ |
| | | 0960 | X | X | X | ✓ |
| | | 1440 | X | X | X | ✓ |
| | | 1920 | X | X | X | ✓ |

*DIPOK-US and DIPOKET cannot be used with GKF/GLF cover options

## GIZA-LL, GIZA-DUO-LL, GIZA-LL-T, GIZA-LL-UST
## Part #: A00758, A02162, A02479, A02724

| Relative Height | Series | Tape | FC | LC* | BC | GKF/GLF |
|---|---|---|---|---|---|---|
| 10 mm | Standard | 1210 | X | X | X | ✓ |
| | | 1220 | X | X | X | ✓ |
| | | 1275 | X | ✓ (HL1) | X | ✓ |
| | High Density | 0530 | ✓ (HL1) | ✓ | ✓ (HL1) | ✓ |
| | | 1910 | ✓ (HL1) | ✓ | ✓ (HL1) | ✓ |
| | | 1820 | ✓ (HL1) | ✓ | ✓ (HL1) | ✓ |
| | High Efficacy | 0480 | X | ✓ (HL1) | X | ✓ |
| | | 0960 | X | ✓ (HL1) | X | ✓ |
| | | 1440 | X | ✓ (HL1) | X | ✓ |
| | | 1920 | X | ✓ (HL1) | X | ✓ |

## GLADES
## Part #: A18036

| Relative Height: | Series: | Tape: | FC: |
|---|---|---|---|
| GLADES (22 mm) | Standard | 1210 | X |
| | | 1220 | ✓ (HL1) |
| | | 1275 | ✓ (HL1) |
| | High Density | 0530 | ✓ (HL1) |
| | | 1910 | ✓ (HL1) |
| | | 1820 | ✓ (HL1) |
| | High Efficacy | 0480 | ✓ (HL1) |
| | | 0960 | ✓ (HL1) |
| | | 1440 | ✓ (HL1) |
| | | 1920 | ✓ (HL1) |
| | RGB/RGB+W | All | ✓ (HL1) |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## GLAZA-DUO
## Part #: A03059

| Relative Height: | Series: | Tape | FC | LC* | BC |
|---|---|---|---|---|---|
| Top: 10 mm<br>Bottom: 16,2 mm | Standard | 1210 | Top: X<br>Bottom: X | Top: X<br>Bottom: X | Top: X<br>Bottom: X |
| | | 1220 | Top: X<br>Bottom: X | Top: X<br>Bottom: X | Top: X<br>Bottom: X |
| | | 1275 | Top: X<br>Bottom: ✓ | Top: ✓<br>Bottom: ✓ | Top: X<br>Bottom: X |
| | High Density | 0530 | Top: ✓<br>Bottom: ✓ | Top: ✓<br>Bottom: ✓ | Top: ✓<br>Bottom: ✓ |
| | | 1910 | Top: ✓<br>Bottom: ✓ | Top: ✓<br>Bottom: ✓ | Top: ✓<br>Bottom: ✓ |
| | | 1820 | Top: ✓<br>Bottom: ✓ | Top: ✓<br>Bottom: ✓ | Top: ✓<br>Bottom: ✓ |
| | High Efficacy | 0480 | Top: X<br>Bottom: ✓ | Top: ✓<br>Bottom: ✓ | Top: X<br>Bottom: ✓ |
| | | 0960 | Top: X<br>Bottom: ✓ | Top: ✓<br>Bottom: ✓ | Top: X<br>Bottom: ✓ |
| | | 1440 | Top: X<br>Bottom: ✓ | Top: ✓<br>Bottom: ✓ | Top: X<br>Bottom: ✓ |
| | | 1920 | Top: X<br>Bottom: ✓ | Top: ✓<br>Bottom: ✓ | Top: X<br>Bottom: ✓ |

## HR-ALU
## Part #: A01889

| Relative Height: | Series: | Tape: | FC: |
|---|---|---|---|
| HR-ALU (3.6 mm) | Standard | 1210 | X |
| | | 1220 | X |
| | | 1275 | X |
| | High Density | 0530 | X |
| | | 1910 | ✓ (HL) |
| | | 1640 | ✓ (HL) |
| | High Efficacy | 0480 | X |
| | | 0960 | X |
| | | 1440 | X |
| | | 1920 | X |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## HR-LINE
## Part #: A03579

| Relative Height: | Series: | Tape: | FC: | HR: |
|---|---|---|---|---|
| HR-LINE (18.5 mm) | Standard | 1210 | ✓ | ✓ |
| | | 1220 | ✓ | ✓ |
| | | 1275 | ✓ | ✓ |
| | High Density | 0530 | ✓ | ✓ |
| | | 1910 | ✓ | ✓ |
| | | 1640 | ✓ | ✓ |
| | High Efficacy | 0480 | ✓ | ✓ |
| | | 0960 | ✓ | ✓ |
| | | 1440 | ✓ | ✓ |
| | | 1920 | ✓ | ✓ |

## HR-MAX, HR-OPTI
## Part #: A01829, A01844

| Relative Height: | Series: | Tape | HR |
|---|---|---|---|
| 19,2 mm | Standard | 1210 | X |
| | | 1220 | ✓ |
| | | 1275 | ✓ |
| | High Density | 0530 | ✓ |
| | | 1910 | ✓ |
| | | 1820 | ✓ |
| | High Efficacy | 0480 | ✓ |
| | | 0960 | ✓ |
| | | 1440 | ✓ |
| | | 1920 | ✓ |

## JAZ
## Part #: A08547

| Relative Height: | Series: | Tape: | FC: |
|---|---|---|---|
| JAZ (Varied) | Standard | 1210 | X |
| | | 1220 | ✓ for 1 row only |
| | | 1275 | ✓ for 1 row only |
| | High Density | 0530 | ✓ |
| | | 1910 | ✓ |
| | | 1820 | ✓ |
| | High Efficacy | 0480 | ✓ |
| | | 0960 | ✓ |
| | | 1440 | ✓ |
| | | 1920 | ✓ |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## JAZ-DUO
Part #: A00788

| Relative Height: | Series: | Tape | FC |
|---|---|---|---|
| 12,9 mm | Standard | 1210 | X |
| | | 1220 | X |
| | | 1275 | ✓ |
| | High Density | 0530 | ✓ |
| | | 1910 | ✓ |
| | | 1820 | ✓ |
| | High Efficacy | 0480 | ✓ |
| | | 0960 | ✓ |
| | | 1440 | ✓ |
| | | 1920 | ✓ |

## KIDES
Part #: A18031

| Relative Height: | Series: | Tape: | FC: |
|---|---|---|---|
| KIDES (34.20 mm) | Standard | 1210 | ✓ |
| | | 1220 | ✓ |
| | | 1275 | ✓ |
| | High Density | 0530 | ✓ |
| | | 1910 | ✓ |
| | | 1820 | ✓ |
| | High Efficacy | 0480 | ✓ |
| | | 0960 | ✓ |
| | | 1440 | ✓ |
| | | 1920 | ✓ |
| | RGB/RGB+W | All | ✓ |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## SEKOMA, SEKODU, SEPOD
## Part #: A06595, A06597, A06593

| Relative Height: | Series: | Tape | Semi-Transparent | FC |
|---|---|---|---|---|
| 38 mm | Standard | 1210 | X | ✓ (HL1) |
| | | 1220 | X | ✓ (HL1) |
| | | 1275 | X | ✓ |
| | High Density | 0530 | X | ✓ (HL1) |
| | | 1910 | ✓ (HL) | ✓ (HL1) |
| | | 1820 | ✓ (HL) | ✓ |
| | High Efficacy | 0480 | X | ✓ (HL1) |
| | | 0960 | X | ✓ |
| | | 1440 | X | ✓ |
| | | 1920 | X | ✓ |
| | RGB/RGB+W | All | X | ✓ |

## KIDES-DUO
## Part #: A18032

| Relative Height | Series | Tape | FC | LC* | BC |
|---|---|---|---|---|---|
| Top: 14.90 mm<br>Bottom: 18.70 mm | Standard | 1210 | Top: X<br>Bottom: X | Bottom: X | Bottom: X |
| | | 1220 | Top: X<br>Bottom: ✓ | Bottom: ✓ | Bottom: ✓ |
| | | 1275 | Top: X<br>Bottom: ✓ | Bottom: ✓ | Bottom: ✓ |
| | High Density | 0530 | Top: ✓ (HL)<br>Bottom: ✓ | Bottom: ✓ | Bottom: ✓ |
| | | 1910 | Top: ✓ (HL)<br>Bottom: ✓ | Bottom: ✓ | Bottom: ✓ |
| | | 1820 | Top: ✓ (HL)<br>Bottom: ✓ | Bottom: ✓ | Bottom: ✓ |
| | High Efficacy | 0480 | Top: X<br>Bottom: ✓ | Bottom: ✓ | Bottom: ✓ |
| | | 0960 | Top: X<br>Bottom: ✓ | Bottom: ✓ | Bottom: ✓ |
| | | 1440 | Top: X<br>Bottom: ✓ | Bottom: ✓ | Bottom: ✓ |
| | | 1920 | Top: X<br>Bottom: ✓ | Bottom: ✓ | Bottom: ✓ |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## KOPRO
## Part #: A06367

| Relative Height: | Series: | Tape: | KK: | KP: | KL: |
|---|---|---|---|---|---|
| KOPRO (Varied) | Standard | 1210 | ✓ for 1 row only | X | X |
| | | 1220 | ✓ | X | ✓ |
| | | 1275 | ✓ | ✓ (HL1) | ✓ |
| | High Density | 0530 | ✓ | ✓ (HL1) | ✓ |
| | | 1910 | ✓ | ✓ (HL1) | ✓ |
| | | 1820 | ✓ | ✓ (HL1) | ✓ |
| | High Efficacy | 0480 | ✓ | ✓ (HL1) | ✓ |
| | | 0960 | ✓ | ✓ (HL1) | ✓ |
| | | 1440 | ✓ | ✓ (HL1) | ✓ |
| | | 1920 | ✓ | ✓ (HL1) | ✓ |

## KOPRO-30
## Part #: A07890

| Relative Height: | Series: | Tape: | KP: | KL: |
|---|---|---|---|---|
| KOPRO-30 (Varied) | Standard | 1210 | X | X |
| | | 1220 | X | ✓ |
| | | 1275 | ✓ | ✓ |
| | High Density | 0530 | ✓ | ✓ |
| | | 1910 | ✓ | ✓ |
| | | 1820 | ✓ | ✓ |
| | High Efficacy | 0480 | ✓ | ✓ |
| | | 0960 | ✓ | ✓ |
| | | 1440 | ✓ | ✓ |
| | | 1920 | ✓ | ✓ |

## KOZUS, KOZUS-CR
## Part #: A07823, A00600

| Relative Height: | Series: | Tape: | FC: | LC: | BC: | GKF/GLF: |
|---|---|---|---|---|---|---|
| KOZUS (12.70 mm) | Standard | 1210 | X | X | X | ✓ |
| | | 1220 | X | ✓ (HL1) | X | ✓ |
| | | 1275 | X | ✓ | X | ✓ |
| | High Density | 0530 | ✓ | ✓ | ✓ | ✓ |
| | | 1910 | ✓ | ✓ | ✓ | ✓ |
| | | 1820 | ✓ | ✓ | ✓ | ✓ |
| | High Efficacy | 0480 | ✓ | ✓ | ✓ | ✓ |
| | | 0960 | ✓ | ✓ | ✓ | ✓ |
| | | 1440 | ✓ | ✓ | ✓ | ✓ |
| | | 1920 | ✓ | ✓ | ✓ | ✓ |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## KOZUS-50
## Part #: A00958

| Relative Height: | Series: | Tape: | LC: |
|---|---|---|---|
| KOZUS-50 (13.70 mm) | Standard | 1210 | X |
| | | 1220 | ✓ (HL1 or 2) |
| | | 1275 | ✓ (HL1 or 2) |
| | High Density | 0530 | ✓ (HL1 or 2) |
| | | 1910 | ✓ (HL1 or 2) |
| | | 1820 | ✓ (HL1 or 2) |
| | High Efficacy | 0480 | ✓ (HL1 or 2) |
| | | 0960 | ✓ (HL1 or 2) |
| | | 1440 | ✓ (HL1 or 2) |
| | | 1920 | ✓ (HL1 or 2) |

## KUBIK, 45-16
## Part #: A07697, A08504

| Relative Height: | Series: | Tape: | FC: | LC: | BC: | KA: | KA-PRO: |
|---|---|---|---|---|---|---|---|
| KUBIK (7.2 mm) | Standard | 1210 | X | X | X | X | X |
| | | 1220 | X | X | X | X | X |
| | | 1275 | X | X | X | X | X |
| | High Density | 0530 | X | ✓ | X | X | X |
| | | 1910 | X | ✓ | X | X | X |
| | | 1820 | ✓ | ✓ | ✓ | X | ✓ |
| | High Efficacy | 0480 | X | X | X | X | X |
| | | 0960 | X | X | X | X | X |
| | | 1440 | X | X | X | X | X |
| | | 1920 | X | ✓ | X | X | X |

## LARKO-50, LIPOD-50
## Part #: A00756, A02609

| Relative Height: | Series: | Tape: | LC: |
|---|---|---|---|
| LARKO-50 (20.20 mm) | Standard | 1210 | X |
| | | 1220 | ✓ (HL1) |
| | | 1275 | ✓ (HL1) |
| | High Density | 0530 | ✓ (HL1) |
| | | 1910 | ✓ (HL1) |
| | | 1820 | ✓ (HL1) |
| | High Efficacy | 0480 | ✓ (HL1) |
| | | 0960 | ✓ (HL1) |
| | | 1440 | ✓ (HL1) |
| | | 1920 | ✓ (HL1) |
| | RGB/RGB+W | All | ✓ (HL1) |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## LIPOD, KOZEL, LARKO, LOKOM
## Part #: A05554, A06454, A05552, A05553

| Relative Height: | Series: | Tape: | FC: | LC: | BC: | GKF/GLF: |
|---|---|---|---|---|---|---|
| LIPOD (20 mm) | Standard | 1210 | X | X | X | ✓ |
| | | 1220 | ✓ | ✓ | ✓ | ✓ |
| | | 1275 | ✓ | ✓ | ✓ | ✓ |
| | High Density | 0530 | ✓ | ✓ | ✓ | ✓ |
| | | 1910 | ✓ | ✓ | ✓ | ✓ |
| | | 1820 | ✓ | ✓ | ✓ | ✓ |
| | High Efficacy | 0480 | ✓ | ✓ | ✓ | ✓ |
| | | 0960 | ✓ | ✓ | ✓ | ✓ |
| | | 1440 | ✓ | ✓ | ✓ | ✓ |
| | | 1920 | ✓ | ✓ | ✓ | ✓ |
| | RGB/RGB+W | All | ✓ | ✓ | ✓ | ✓ |

## MICRO-ALU, MICRO-H, MICRO-HG, MICRO-NK, MICRO-K , MICRO-NK, LIT-L,
## NISA-KON, NISA-KRA, NISA-NI, NISA-PLA, POLI
## Part #: A01888, A00599, A01419, A01587, A03775, A18033, A18027, A18026, A18029, A18028, A07176

| Relative Height | Series | Tape | FC | LC | BC | KA | KA-PRO | MK* |
|---|---|---|---|---|---|---|---|---|
| 4 mm | Standard | 1210 | X | X | X | X | X | X |
| | | 1220 | X | X | X | X | X | X |
| | | 1275 | X | X | X | X | X | ✓ |
| | High Density | 0530 | X | X | X | X | X | ✓ |
| | | 1910 | X | X | X | X | X | ✓ |
| | | 1820 | X | ✓ (HL) | X | X | X | ✓ |
| | High Efficacy | 0480 | X | X | X | X | X | ✓ |
| | | 0960 | X | X | X | X | X | ✓ |
| | | 1440 | X | X | X | X | X | ✓ |
| | | 1920 | X | X | X | X | X | ✓ |

**MK Cover can only be used with MICRO-ALU/MICRO-H Extrusions

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## MOD-50
## Part #: A18047

| Relative Height: | Series: | Tape | FC | LC* | BC | KA | KA-PRO |
|---|---|---|---|---|---|---|---|
| Top: 4 mm<br>Bottom: 21,1 mm | Standard | 1210 | Top: X<br>Bottom: X | Top: X | Top: X | Top: X | Top: X |
| | | 1220 | Top: X<br>Bottom: ✓ (HL) | Top: X | Top: X | Top: X | Top: X |
| | | 1275 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | High Density | 0530 | Top: X<br>Bottom: ✓ (HL) | Top: X | Top: X | Top: X | Top: X |
| | | 1910 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | | 1820 | Top: X<br>Bottom: ✓ (HL1) | Top: ✓ (HL) | Top: X | Top: X | Top: X |
| | High Efficacy | 0480 | Top: X<br>Bottom: ✓ (HL) | Top: X | Top: X | Top: X | Top: X |
| | | 0960 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | | 1440 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | | 1920 | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |
| | RGB/RGB+W | All | Top: X<br>Bottom: ✓ (HL1) | Top: X | Top: X | Top: X | Top: X |

## MOD-100
## Part #: A18049

| Relative Height: | Series: | Tape | FC | LC* | BC | KA | KA-PRO |
|---|---|---|---|---|---|---|---|
| Top: 4 mm<br>Bottom: 21,1 mm | Standard | 1210 | Top: X<br>Bottom: X | Top: X | Top: X | Top: X | Top: X |
| | | 1220 | Top: X<br>Bottom: ✓ (HL) | Top: X | Top: X | Top: X | Top: X |
| | | 1275 | Top: X<br>Bottom: ✓ (HL3) | Top: X | Top: X | Top: X | Top: X |
| | High Density | 0530 | Top: X<br>Bottom: ✓ (HL) | Top: X | Top: X | Top: X | Top: X |
| | | 1910 | Top: X<br>Bottom: ✓ (HL3) | Top: X | Top: X | Top: X | Top: X |
| | | 1820 | Top: X<br>Bottom: ✓ (HL3) | Top: ✓ (HL) | Top: X | Top: X | Top: X |
| | High Efficacy | 0480 | Top: X<br>Bottom: ✓ (HL) | Top: X | Top: X | Top: X | Top: X |
| | | 0960 | Top: X<br>Bottom: ✓ (HL3) | Top: X | Top: X | Top: X | Top: X |
| | | 1440 | Top: X<br>Bottom: ✓ (HL3) | Top: X | Top: X | Top: X | Top: X |
| | | 1920 | Top: X<br>Bottom: ✓ (HL3) | Top: X | Top: X | Top: X | Top: X |
| | RGB/RGB+W | All | Top: X<br>Bottom: ✓ (HL3) | Top: X | Top: X | Top: X | Top: X |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## OLEK , PDS-O
## Part #: A08505, B3777

| Relative Height: | Series: | Tape: | FC: | LC: | BC: | KA: | KA-PRO: | LUK: |
|---|---|---|---|---|---|---|---|---|
| OLEK (10.5 mm) | Standard | 1210 | X | X | X | X | X | X |
| | | 1220 | X | X | X | X | X | X |
| | | 1275 | X | ✓ | X | X | X | X |
| | High Density | 0530 | ✓ | ✓ | ✓ | X | ✓ | ✓ |
| | | 1910 | ✓ | ✓ | ✓ | X | ✓ | ✓ |
| | | 1820 | ✓ | ✓ | ✓ | X | ✓ | ✓ |
| | High Efficacy | 0480 | X | ✓ | X | X | X | ✓ |
| | | 0960 | X | ✓ | X | X | X | ✓ |
| | | 1440 | X | ✓ | X | X | X | ✓ |
| | | 1920 | ✓ | ✓ | X | X | ✓ | ✓ |

## OMODO-50
## Part #: A18053

| Relative Height: | Series: | Tape | FC | JUN |
|---|---|---|---|---|
| 21,6 mm | Standard | 1210 | X | X |
| | | 1220 | ✓ (HL1) | X |
| | | 1275 | ✓ (HL1) | X |
| | High Density | 0530 | ✓ (HL1) | X |
| | | 1910 | ✓ (HL1) | X |
| | | 1820 | ✓ (HL1) | X |
| | High Efficacy | 0480 | ✓ (HL1) | X |
| | | 0960 | ✓ (HL1) | X |
| | | 1440 | ✓ (HL1) | X |
| | | 1920 | ✓ (HL1) | X |
| | RGB/RGB+W | All | ✓ (HL1) | X |

## OMODO-100
## Part #: A18058

| Relative Height: | Series: | Tape | FC | JUN |
|---|---|---|---|---|
| 21,6 mm | Standard | 1210 | X | X |
| | | 1220 | ✓ (HL3) | X |
| | | 1275 | ✓ (HL3) | X |
| | High Density | 0530 | ✓ (HL3) | X |
| | | 1910 | ✓ (HL3) | X |
| | | 1820 | ✓ (HL3) | X |
| | High Efficacy | 0480 | ✓ (HL3) | X |
| | | 0960 | ✓ (HL3) | X |
| | | 1440 | ✓ (HL3) | X |
| | | 1920 | ✓ (HL3) | X |
| | RGB/RGB+W | All | ✓ (HL3) | X |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## PAC-ALU, STOS-ALU, TRIADA
## Part #: A04370, A04369, A04476

| Relative Height: | Series: | Tape: | FC: | KA: |
|---|---|---|---|---|
| PAC-ALU (5 mm) | Standard | 1210 | X | X |
| | | 1220 | X | X |
| | | 1275 | X | X |
| | High Density | 0530 | X | X |
| | | 1910 | X | X |
| | | 1820 | X | X |
| | High Efficacy | 0480 | X | X |
| | | 0960 | X | X |
| | | 1440 | X | X |
| | | 1920 | X | X |

## PDS4-ALU, PDS4-PLUS, PDS-NK, PDS-T, PDS-ZM-PLUS, 45-ALU, GLAD-45, POR, KOZMA, OPK-4, POK-US, POKET, PDS-ZMG, PLAKIN-DUO
## Part #: A01718, A01263, A01588, A02057, A02056, A04023, A07009, A06144, A18040, A00370, A01234, A01179, A01418, A04106

| Relative Height: | Series: | Tape: | FC: | LC: | BC: | KA: | KA-PRO: |
|---|---|---|---|---|---|---|---|
| 10 mm | Standard | 1210 | X | X | X | X | X |
| | | 1220 | X | X | X | X | X |
| | | 1275 | X | ✓ | X | X | X |
| | High Density | 0530 | ✓ | ✓ | ✓ | X | ✓ |
| | | 1910 | ✓ | ✓ | ✓ | X | ✓ |
| | | 1820 | ✓ | ✓ | ✓ | X | ✓ |
| | High Efficacy | 0480 | X | ✓ | X | X | X |
| | | 0960 | X | ✓ | X | X | X |
| | | 1440 | ✓ | ✓ | X | ✓ | ✓ |
| | | 1920 | ✓ | ✓ | ✓ | ✓ | ✓ |

## PIKO, PIKO-O, PIKO-ZM, KOZEL-10
## Part #: A08288, A01167, A01168, A01575

| Relative Height: | Series: | Tape | FC |
|---|---|---|---|
| 5 mm | Standard | 1091 | ✓ |
| | RGB | 1560 | X |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover

## SILER
## Part #: A09325

| Relative Height: | Series: | Tape: | FC: |
|---|---|---|---|
| SILER (9.8 mm) | Standard | 1210 | X |
| | | 1220 | X |
| | | 1275 | X |
| | High Density | 0530 | ✓ |
| | | 1910 | ✓ |
| | | 1820 | ✓ |
| | High Efficacy | 0480 | ✓ |
| | | 0960 | ✓ |
| | | 1440 | ✓ |
| | | 1920 | ✓ |

## TAPO, TAMI, TAN-C5
## Part #: A01919, A05390, A05391

| Relative Height: | Series: | Tape: | FC: |
|---|---|---|---|
| TAPO (10.3 mm)<br>TAMI (5.9 mm)<br>TAN-C5 (5.9 mm) | Standard | 1210 | X |
| | | 1220 | X |
| | | 1275 | X |
| | High Density | 0530 | X |
| | | 1910 | X |
| | | 1820 | X |
| | High Efficacy | 0480 | X |
| | | 0960 | X |
| | | 1440 | X |
| | | 1920 | X |

✓ - Line of Light
X - Visible dotting
HL - Hot line
HLX - Hot line for a number (X) of rows

BC - Black Cover
FC - Frosted Cover
GKF - GK Frosted
GLF - GLF Frosted
HR - HR-LINE-2 / HR-21 Frosted

KA - KA Frosted
KA-PRO - KA-PRO Frosted
KK - KOPRO K
KL - KOPRO L
KP - KOPRO P

LC - Liger Frosted / *Liger-22 Frosted
LUK - LUK Frosted
MK - M-K Frosted
BN - BONI Cover
JUN - JUN Cover