


## PRODUCT DESCRIPTION

- Line of light flush with the surface
- Designed for 1/2" thick drywall
- The lighting fixture can go from being recessed to suspended
- Invisible aluminum elements

### FINISH :

Non anodized (raw) 



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

## TECHNICAL SPECIFICATION

### Application

- for creating narrow linear or polygonal fixtures built into drywall.

### Mounting

- bolted to drywall.

### Additional information


- the line of light can be obtained with the LIGER-22 cover and a LED tape with at least 120 LEDs per meter,
- GIZA-LL-UST extrusion is intended for two or one 10 mm wide LED tape,
- two tapes provide uniform illumination of the cover over its entire width,
- LED tape gluing width in the profile is 22 mm,
- the cover is cut to the length of the extrusion,
- can be connected into strings using ZM connectors,
- transition from a built-in lighting fixture into a suspended one made with the GIZA-LL extrusion,
- MP-22 masking cover can be used,
- TECH-22 protective insert can be used to protect the inside of the extrusion from contamination during assembly.

## AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C2479NA_1	Non anodized (raw)	39.4"

Ref. nr.	surface finish	available lengths
C2479NA_2	Non anodized (raw)	78.75"

## TECHNICAL DRAWING



## RELATED EXTRUSIONS




GIZA-LL  
Extrusion  
Ref: C0758

## RELATED PRODUCTS


### COVERS

#### BLACK




LIGER-22 Cover  
black  
Ref: 17044


#### FROSTED COVERS




LIGER-22 Cover  
frosted  
Ref: 17032




G-K Cover  
frosted  
Ref: 17007



G-L Cover  
frosted  
Ref: 00413




HS-22 Cover  
frosted  
Ref: 17011




LIGER-22 Cover  
frosted  
Ref: 17032V1\_10

## SEMI-TRANSPARENT COVERS




G-K Cover semi-  
transparent  
Ref: 00415



G-L Cover semi-  
transparent  
Ref: 17008

## TECHNICAL



TECH-22  
Protective Insert  
Ref: 17124

## END CAPS

### REGULAR END CAPS



GIZA-LL grey  
End cap  
Ref: 24281

## ACCESSORIES

### FASTENERS & MOUNTING ACCESSORIES



OS22-LIN-Z  
Fastener white  
Ref: 42341L9010



OS22-DUO-LIN-Z  
Fastener black  
Ref: 42340L9005



OS22-LIN-Z  
Fastener black  
Ref: 42341L9005



OS22-DUO-LIN-Z  
Fastener white  
Ref: 42340L9010



OS22-DUO-PRET-Z  
Fastener white  
Ref: 42343L9010



OS22-PRET-Z  
Fastener black  
Ref: 42344L9005




OS22-DUO-PRET-Z  
Fastener black  
Ref: 42343L9005




OS22-PRET-Z  
Fastener white  
Ref: 42344L9010


### COMPONENTS FOR CONNECTING FIXTURES




ZM-NA-180  
Connector  
Ref: 42724




ZM-NA-PION-90  
Connector  
Ref: 42726




ZM-NA-90  
Connector  
Ref: 42723




ZM-NA-135  
Connector  
Ref: 42725



ZM-NA-45  
Connector  
Ref: 42339



ZM-NA-PION-120  
Connector  
Ref: 42321




ZM-NA-PION-60  
Connector  
Ref: 42317




ZM-NA-PION-45  
Connector  
Ref: 42315

### ADDITIONAL ITEMS



MP-22 Masking  
cover metallized  
Ref: 17167




MP-22 Masking  
cover black  
Ref: 17167L9005




MP-22 Masking  
cover white  
Ref: 17167L9010

### LED TAPES

CRI95+




WP-K-CR-1220-24V  
Ref: WP-K-CR-1220-24V




K-CR-0530-HD-24V  
Ref: K-CR-0530-HD-24V


WHITE




K-1220-24V  
Ref: K-1220-24




K-1275-12V  
Ref: K-1275-12




K-1210-12V  
Ref: K-1210-12




K-1210-24V  
Ref: K-1210-24



K-1220-12V  
Ref: K-1220-12



K-1820-HD-24V  
Ref: K-1820-HD-24



K-1910-HD-24V  
Ref: K-1910-HD-24



K-1275-24V  
Ref: K-1275-24



WP-K-1210-12V  
Ref: WP-K-1210-12




WP-K-1220-12V  
Ref: WP-K-1220-12




WP-K-1220-24V  
Ref: WP-K-1220-24



WP-K-1220-IP65-24V  
Ref: WP-K-1220-IP65-24V




WP-K-1275-12V  
Ref: WP-K-1275-12



WP-K-1275-24V  
Ref: WP-K-1275-24



WP-K-1210-24V  
Ref: WP-K-1210-24



WP-K-1640-HD-IP65-24V  
Ref: WP-K-1640-HD-IP65-24V




WP-K-1910-HD-IP65-24V  
Ref: WP-K-1910-HD-IP65-24V


RGB/ RGBW



WP-K-1275-RGB-12V  
Ref: WP-K-1275-RGB-12V



K-1920-RGB+W-24V  
Ref: K-1920-RGB+W-24V




K-1275-RGB-12V  
Ref: K-1275-RGB-12V




WP-K-1920-RGB+W-24V  
Ref: WP-K-1920-RGB+W-24V



K-1530-RGB+W-24V  
Ref: K-1530-RGB+W-24V



WP-K-1530-RGB+W-24V  
Ref: WP-K-1530-RGB+W-24V




K-1920-120-RGB-24V  
Ref: K-1920-120-RGB-24V




WP-K-1920-120-RGB-24V  
Ref: WP-K-1920-120-RGB-24V


ADJUSTABLE WHITE/ DIM TO WARM



K-22/50-1728-24V  
Ref:  
K-22/50-1728-24V



WP-K-22/50-1728-24V  
Ref: WP-  
K-22/50-1728-24V




K-30/18-1770-24V  
Ref:  
K-30/18-1770-24V



WP-K-30/18-1770-24V  
Ref: WP-  
K-30/18-1770-24V

## LONG RUN



K-LR-1000-24V  
Ref: K-  
LR-1000-24