## PRODUCT DESCRIPTION

- Minimalistic form
- Smooth surface
- High lumen output
- Wide range of accessories

FINISH :

Silver anodized ☐

Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- main, decorative and functional lighting.

Mounting

- suspended or to the surface, using dedicated accessories or properly selected screws,
- can be easily connected into runs,
- the cover is cut to the length of the profile.

Additional information

- the line of light can be obtained with LIGER-50 cover and a LED tape with at least 60 LEDs per meter,
- LIPOD-50 extrusion is intended for two, three or four 10 mm wide LED tapes,
- four tapes provide uniform illumination of the cover over its entire width,
- LED tape gluing width in the profile is 42 mm,
- the extrusion is equipped with threaded grooves allowing the installation of DC modules with a spacing of 18.6 mm using M3x5 screws,
- the cover is cut to the length of the extrusion,
- end caps are mounted with screws on the inside of the extrusion, thanks to which the aesthetics of the lighting fixture is maintained,
- can be connected into strings using ZM connectors.

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C2609ANODA_1	Silver anodized	39.4"
C2609ANODA_2	Silver anodized	78.75"
C2609ANODA_3	Silver anodized	118.11"

TECHNICAL DRAWING

RELATED PRODUCTS

COVERS

BLACK

LIGER-50 black
Cover
Ref: 17089

FROSTED COVERS

LIGER-50 frosted
Cover
Ref: 17086

END CAPS

REGULAR END CAPS

LIPOD-50
metalized End
cap
Ref: 24394

LIPOD-50 grey
end cap
Ref: 24371

ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES

NEO-ZM-PLUS-3
Mounting
brackets set
Ref: 42129

BZP-ZZ Head
conductive
Ref: 42215

BZP Head
Ref: 42213

DP-ZZ Fastener
Ref: 00651

PUSZ-PRET-ZM
Fastener
Ref: 42250

FI-10-ZM-P
Fastener
Ref: 42244

FI-10-ZM-W
Fastener
Ref: 42242

PUSZ-PRET-ZM
Fastener silver
Ref: 42276

PUSZ-PRET-ZM
Fastener white
Ref: 42276L9010

PUSZ-PRET-ZM
Fastener black
Ref: 42276L9005

UCHO-ZM
Hanger
Ref: 42512

COMPONENTS FOR CONNECTING FIXTURES

ZM-180
Connector
Ref: 42717

ZM-PION-135
Connector
Ref: 42719

ZM-PION-90
Connector
Ref: 42718

ZM-90 Connector
Ref: 42716

ZM-120
Connector
Ref: 42728

ZM-135
Connector
Ref: 42720

ZM-60-G
Connector
Ref: 42304

ZM-90-G
Connector
Ref: 42306

KLUŚ® Inspiring Solutions

MOUNTING SETS

RG-1 Mounting
set Silver
Ref: 42647NI

RG-1 Mounting
set Black
Ref: 42647L9005

LED TAPES

CRI95+

K-CR-1210-24V
Ref: K-CR-1210-24V

K-CR-1220-24V
Ref: K-CR-1220-24V

K-CR-1275-24V
Ref: K-
CR-1275-24V

K-CR-1820-HD-24V
Ref: K-CR-1820-
HD-24V

K-CR-1910-HD-24V
Ref: K-CR-1910-
HD-24V

WP-K-CR-1220-24V
Ref: WP-K-
CR-1220-24V

WP-K-CR-1275-24V
Ref: WP-K-
CR-1275-24V

WP-K-CR-1910-HD-24V
Ref: WP-K-CR-1910-
HD-24V

WP-K-CR-1820-HD-24V
Ref: WP-K-CR-1820-
HD-24V

K-CR-0530-HD-24V
Ref: K-CR-0530-
HD-24V

WP-K-CR-0530-HD-24V
Ref: WP-K-CR-0530-
HD-24V

WHITE

K-1220-24V
Ref: K-1220-24

K-1275-12V
Ref: K-1275-12

K-1091-24V
Ref: K-1091-24

K-1210-12V
Ref: K-1210-12

K-1210-24V
Ref: K-1210-24

K-1220-12V
Ref: K-1220-12

K-1820-HD-24V
Ref: K-1820-HD-24

K-1910-HD-24V
Ref: K-1910-
HD-24

K-1275-24V
Ref: K-1275-24

WP-K-1210-12V
Ref: WP-
K-1210-12

K-0530-HD-24V
Ref: K-0530-
HD-24

WP-K-1220-12V
Ref: WP-K-1220-12

WP-K-1220-24V
Ref: WP-
K-1220-24

WP-K-1220-IP65-24V
Ref: WP-K-1220-
IP65-24V

WP-K-1275-12V
Ref: WP-
K-1275-12

WP-K-1275-24V
Ref: WP-
K-1275-24

WP-K-1820-HD-24
Ref: WP-K-1820-
HD-24

WP-K-1210-24V
Ref: WP-
K-1210-24

WP-K-0530-HD-24V
Ref: WP-K-0530-
HD-24V

More accessories on our page www.klusdesign.com

RGB/ RGBW

WP-K-1530-RGB+W-IP65-24V
Ref: WP-K-1530-RGB+W-IP65-24V

WP-K-1275-RGB-12V
Ref: WP-K-1275-RGB-12V

K-1920-RGB+W-24V
Ref: K-1920-RGB+W-24V

K-1275-RGB-12V
Ref: K-1275-RGB-12V

WP-K-1920-RGB+W-24V
Ref: WP-K-1920-RGB+W-24V

K-1530-RGB+W-24V
Ref: K-1530-RGB+W-24V

WP-K-1530-RGB+W-24V
Ref: WP-K-1530-RGB+W-24V

K-1920-120-RGB-24V
Ref: K-1920-120-RGB-24V

WP-K-1920-120-RGB-24V
Ref: WP-K-1920-120-RGB-24V

K-1200-120-RGB-24V
Ref: K-1200-120-RGB-24V

K-0700-120-RGB-24V
Ref: K-0700-120-RGB-24V

ADJUSTABLE WHITE/ DIM TO WARM

K-22/50-1728-24V
Ref: K-22/50-1728-24V

WP-K-22/50-1728-24V
Ref: WP-K-22/50-1728-24V

K-30/18-1770-24V
Ref: K-30/18-1770-24V

WP-K-30/18-1770-24V
Ref: WP-K-30/18-1770-24V

STATIC COLORS

K-BLUE-1275-24V
Ref: K-BLUE-1275-24V

K-PURPLE-1275-24V
Ref: K-PURPLE-1275-24V

K-GREEN-1275-24V
Ref: K-GREEN-1275-24V

K-RED-1275-24V
Ref: K-RED-1275-24V

K-RED-1220-24V
Ref: K-RED-1220-24V

K-BLUE-1220-24V
Ref: K-BLUE-1220-24V

LONG RUN

K-LR-1000-24V
Ref: K-LR-1000-24