

### PRODUCT DESCRIPTION

- Easy LED service (assembly and disassembly OPK-4 extrusion "on click")
- Line of light in the built-in lighting fixture without visible aluminum elements
- Can build fixtures going seamlessly from built-in to suspended ones
- OPK-4 extrusion can be bent
- Smoothly changing lighting height
- Fits in the thickness of a drywall board 0,47"/ 12 mm
- Lighting fixtures can be combined to form lighting strings (ZM connectors)
- The standard TPK-4 extrusion comes with a "foam technical cover" that facilitates "clean" mounting of the fixture in the drywall



_			
	1 1 1	IC. I	
	ш	$1 \supset \Box$	

Silver anodized
-----------------

### Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

## **TECHNICAL SPECIFICATION**

#### **Application**

- for creating serviceable straight- and broken-line fixtures, built into drywall, flush with their surface, without visible aluminum flanges

## **Assembly**

- technical mounting track fixed with adhesive used for drywall. Snap-in light fixture with mounting brackets

#### **Additional information**

- replaces TE-4 system


Turn off LED lights during peak day light hours in outdoor applications to avoid excessive heat buildup which will result in diminished LED life.

### **AVAILABLE LENGTHS**



Ref. nr.	surface finish	available lengths
C0370ANODA_1	Silver anodized	39.4"
C0370ANODA_2	Silver anodized	78.75"

# **TECHNICAL DRAWING**





## **RELATED EXTRUSIONS**



TPK-4 Extrusion Ref: 18044

## **RELATED PRODUCTS**

### **COVERS**



HS Cover clear Ref: 1370 50°



HS Cover frosted Ref: 1369 100°



LIGER Co. Ref: 17031 110° LIGER Cover frosted



PDS-LUK Cover Ref: 17076 110°











LIGER black Cover Ref: 17040 **80**°



**END CAPS** 



OPK-4 End cap Ref: 24238



## **ACCESSORIES**



ZM EYE UCHO Hanger Ref: 42512



GP Spring Ref: 00293



BZP Head Ref: 42213



BZP-ZZ Head conductive Ref: 42215



PUSZ-LIN-ZM Fastener Ref: 42256



PUSZ-PRET-ZM Fastener Ref: 42250



ZM-120 Connector Ref: 42728



ZM-135 Connector Ref: 42720



ZM-180 Connector Ref: 42717



ZM-90 Connector Ref: 42716



ZM-PION-135 Connector Ref: 42719



ZM-PION-90 Connector Ref: 42718



8,8x1,2 Gland Ref: 00802



PK-4 Disassembly plates Ref: 70261



ZM Block Ref: 42520